

TAN.HOI-2250

2250 Litre Steel Bunded Oil Tank with Imperium® Technology



Capacity	2250 Litre
Length	1830mm
Width	1250mm
Height	1250mm
Weight	372kg (empty)

General information

A 2250 litre steel bunded oil tank suitable for both domestic and commercial applications. Made with Imperium® Technology.

Imperium® Technology:

Combines Atlantis Tanks' own precision tank design with a highly efficient manufacturing approach. The result is a well-engineered steel bunded oil tank with added usability and functionality.

Suitable for

Heating oil, kerosene, Hydrotreated Vegetable Oil (HVO), diesel, waste oils and many other liquids (please check before usage).

Connections

- ✓ 1" bottom outlet
- ✓ 1.5" bund socket for bund alarm probe
- ✓ 2" tank to bund vent
- ✓ 2" bund vent

On removable fittings plate:

- ✓ 2" fill point with aluminium drip cap
- ✓ 2" top socket as a spare connection
- ✓ 1.5" port for contents gauge
- ✓ 1" socket with internal suction pipe

Tank Data

Outer tank dimensions:

(L) 1830mm x (W) 1250mm x (H) 1250mm

Inner tank dimensions:

(L) 1700mm x (W) 1190mm x (H) 1248mm

Brimful capacity: 2502 litres

Nominal capacity: 2377 litres

Useable capacity (c/w *OPV): 2301 litres

*OPV - Overfill Prevention Valve option reduces capacity slightly if fitted

Materials & Compliance

Structural steel grade S275 JR that meets the BS EN10025-2:2004 standard. Complies with BS 700 pt5 for design & construction of carbon steel oil storage tanks.

Warranty term

10 year warranty subject to T's & C's. Each tank is provided with a warranty manual.

Recommended base size

We recommend along with current regulations a base size which extends 300mm all the way around the tank.

Length: 2430mm **Width:** 1850mm



Imperium®
Technology



High Quality
British-Made
Tanks



10 Year
Warranty



Bunded
Steel Tank

TAN.HOI-2250

2250 Litre Steel Bunded Oil Tank with Imperium® Technology

Exterior finish

2 coats of our specially formulated anti rust coating system designed to give maximum protection.

Specification

- ✓ 3 full length bearers
- ✓ Small tin of "touch-up" paint for applying when scratches might occur during the installation process.
Standard colour: Holly Bush Green.

You may also need

FILTER & VALVE PACK



Economy Filter Pack



Advanced Filter Pack



90 Degree Tee Adv Filter Pack



90 Degree Adv Filter Pack



Parallel Tee Adv Filter Pack



Straight Tee Adv Filter Pack

TANK SECURITY & SERVICE



Lockable Top Box



Extra 1" Bottom Outlet



Colour Change



Metal Tank Maintenance Paint (black) 1 x Litre



Metal Tank Maintenance Paint (green) 1 x Litre



Extra Top Coat of Paint Applied



Steel Tank Maintenance Pack
(1 Litre Paint, Brush & Roller, Gloves & Wipes, Tank Sponge)

CONTENTS GAUGE



Apollo Visual



Spiral Float Tank Level Contents Gauge



Clock Face Gauge
(2, 3, 3.5, 4, 6ft height)

OVERFILL PREVENTION




2" Overfill Limiter - Steel Tank

TAN.HOI-2250

2250 Litre Steel Bunded Oil Tank with Imperium® Technology

Bird's Eye View - Generic for all Steel Oil Tanks



1. Removable fittings plate
2. 2" aluminium fill point
3. 2" aluminium drip cap & chain
4. 2" spare socket
5. 1" socket with internal suction pipe
6. 1.5" socket for contents gauge
7. Pitched roof for water run-off
8. 1.5" bund socket (for bund alarm probe if fitted)
9. 2" tank to bund vent
10. 2" bund vent
11. Lifting eyes



Tel: 0330 999 1100

Email: sales@atlantistanks.co.uk

www.atlantistanks.co.uk